



GAZEBO Penguin inc.

4660 HICKMORE ST,
MONTREAL, QUEBEC
H4T 1K2

TEL: 1-514-276-3485, 1-800-737-7174

FAX: 514-276-4147

Email: customerservice@gazebopenguin.com

Owner's Manual



MODELS

91008 91109 91210 91311 91412

CAUTION:

- Safety Instructions
- Pre-assembly
- Installation
- Cleaning
- Maintenance & Storing
- Replacement Parts

Before attempting to install this gazebo, read this manual and follow all its Safety Rules and Installation Instructions.

Please don't destroy boxes until completely assembled

Gazebo Penguin., St. Laurent, QC., H4T 1K2


Safety Instructions

1. Do not attempt to assemble the screenhouse under windy conditions.
2. In the event of strong winds or storms are forecasted, disassemble and store in a safe place. Minimum precaution requires removal of the roof.
3. While this screenhouse meets CPAI Code 84 requirements for flame retardency, keep open flames and inflammable materials outside and at a safe distance from your screenhouse.

1. Prior to assembly:

Retain the packing carton for off-season storage.

- A. To safely and easily assemble the screenhouse, a minimum of two people are needed. You will need medium-sized slot head and square screwdrivers and a sturdy chair or 5-6 foot stepladder.
- B. You should erect your Abris Penguin screen room on as level a spot as possible.
- C. Remove the vinyl roof, roof tubes, vinyl hinges and the door hardware box and inventory parts as follows.



- D. Completely open vinyl roof and lay on a flat surface, preferably in direct sunlight to allow folds and creases to disappear.
- E. Set packing carton upright and remove wall assembly.
- F. Unfold wall assembly like an accordion.



2. To assemble the wall:

- A. Form a rough circle with screening on the outside like diagram.
- B. Position opening where you desire door. With a header plate at the top.



- C. Line up the edge of the doorframe and another frame so the frames are almost touching.



- D. Holding one end of the vinyl hinge vertically above two frames slowly insert simultaneously into both frames until completely inserted.

3. Installation of metal tube tips:

- A. Take brackets and screw to frame as illustrated.



4. Assembly of roof to frame:

- You will need two people and a stool or ladder.
- A. One person should be on the stool or stepladder in the center of the screen room holding hubs angled downward, parallel with top of the wall panel. See illustration below.
 - B. The second person starts to take the tubes in order as per the appropriate diagram, place them on the hub and tube tip.
 - C. Place the tube tip through the tube tip bracket as top illustration shows.



N.B. After the first few poles have been installed, you will have to apply a slight pressure to flex the tubes when attaching to the panels. After completely inserting all the poles the roof will be domed shaped.

5. To install the roof:

To make sure your roof is taut, please read instructions prior to attempting installations of the roof.

The vinyl laminated roof material is cut and sewn by hand in the same manner as clothes. Slight variations in the sections of the roof can be present.

The roof may shrink slightly after approximately three (3) seasons, after which there should not be anymore shrinking. If you find the roof tight due to abnormal shrinking, and is hard or impossible to install, the roof tubes can be shortened by taking a hacksaw and cutting off 1/2" or whatever is required to make it fit properly.

A. Unfold vinyl roof and spread evenly on the ground with seams of binding up (on the outside surface). Flip roof over the tubes from the side so the seams are face down. Allow time for fabric to "relax". Install roof. **Make sure to line up the door opening and the door.**

B. Place grommets over one tube tip by grasping the material with both hands and pressing both thumbs on the frame for leverage, pull the top toward you and secure grommet to the tube tip.

C. Repeat step 5B for the grommet on the opposite side until done all around.

D. If adjustments are needed, simply turns the nut on the metal tube tip with a 3/4" open wrench until roof is tight.



N.B. It is common for small needle holes to be visible; the vinyl has been stitched. Vinyl material is not like cloth fibres it will not contract after being pierced with a sewing needle. During the first several rains, it may leak.

However, the thread used has a cotton wrap that expands when it gets wet so it should close the needle holes and stop the leaks. If the leaks continue, apply a liquid sealer (not supplied).

6. To install door latch:

A. On the doorframe there are three holes supplied for mounting the door latch.

B. Assemble components as per sketch in box. You may need to cut pin to size.

C. With the door in the closed position, drill holes for striker plate, put on frame and adjust so door can close and open freely.



7. To anchor screenhouse:

A. Verify that all walls are straight while paying special attention to the doorframe.

B. Take hold down brackets (85-8) and slide into the frame. Two (2) brackets per frame fastened with screws (not supplied).

C. If you are setting the room up in your backyard **not on concrete or wooden deck**, you will need to order a lawn anchor kit.

8. Cleaning and storing

A. You must disassemble the Gazebo for the winter by reversing the assembly techniques.

B. Clean the roof before storage by using a mild detergent, add warm water, and scrub with a medium bristle brush. Rinse thoroughly.

C. IMPORTANT – Be certain that the top fabric and ribbed webs are thoroughly dry before folding. Moisture, if trapped in folds, will cause rot and mildew.

IMPORTANT NOTES:

WIND: in the event of **strong winds or storms** are forecast, remove roof entirely. **SNOW: Roof must** be removed after seasonal use.

NOTE: Because the roof is a vinyl laminate, under certain conditions it may display a slight relaxing effect causing slight depressions. Should water collect in these depressions remove by standing inside the screenhouse and pushing the roof upward and outward.


FLAME RETARDANCY: While this screenhouse meets CPAI Code 84 for flame retardancy, keep open flames and inflammable materials outside and at a safe distance.

Parts List

If replacement parts are not available from your dealer, order directly from the factory.

**PRICES SUBJECT TO CHANGE
WITHOUT NOTICE**

<u>Cat. No.</u>	<u>Description</u>		<u>List price</u>
85-003	Door handles for round room		\$ 40.65
85-008	Hold down bracket		\$ 6.30 set 6 pcs
85-011	Vinyl hinge (74")		\$ 9.50
85-014	Replacement fibreglass 44" x 75"		\$ 16.27
85-015	T-Spline to retain cloth		\$ 6.30
85-018	Replacement Fabric for privacy panel 44" (White)		\$ 15.20
85-019	Replacement Fabric for privacy panel 44" (Clear)		\$ 15.20
85-021	Hinges for spring door		\$ 2.94
85-022	Bottom Spring for privacy panel		\$ 1.98 set 2 pcs
85-023	Handle for privacy panel		\$ 5.10 set 2 pcs
85-057	Frame with screening		\$156.63
87-106	Roof for 91008		\$439.92
85-078	8 hole hub for 91008		\$ 57.89
99-107	59 5/8" pole for 91008		\$ 11.19
87-108	Roof for 91109		\$ 426.83
85-081	9 hole hub for 91009		\$ 60.25
99-109	66 1/2" pole for 91009		\$ 12.35
87-110	Roof for 91210		\$589.49
85-085	10 hole hub for 91210		\$ 82.88
99-111	74 1/4" pole for 91210		\$ 13.79
87-112	Roof for 91311		\$ 562.28
85-089	11 hole hub for 91311		\$ 74.43

99-113	80 7/8" pole for 91311		\$ 15.02
87-114	Roof for 91412		\$ 641.09
85-093	12 hole hub for 91412		\$ 78.10
85-098	Hinge door and frame fits all round rooms		\$352.73
99-115	87 3/8" pole for 91412		\$ 16.22
95-239	Metal tube tip and nut		\$ 5.30
94-220	135° side bracket with metal tube tip		\$ 8.40
94-222	149° side bracket with metal tube tip		\$ 8.40
94-221	142° side bracket with metal tube tip		\$ 8.40
85-099	Privacy Panel 44" (White) 34 1/2" x 42"		\$ 54.73
85-101	Privacy Panel 44" (Clear) 34 1/2" x 42"		\$ 56.64
96-418	Privacy Panel 44" (White) 34 1/2" x 42"		\$ 76.62
85-121	Privacy panel for round door (White) 31 7/16" x 40"		\$ 54.73
85-122	Privacy panel for round door (Clear) 31 7/16" x 40"		\$ 56.64
96-421	Privacy panel for round door (White) 31 7/16" x 40"		\$ 76.62

GENERAL INFORMATION

Please print or type your name and address plainly, so it will be easy to read. Indicate stock number and description or items as they appear in parts list. Quebec residents add G.S.T and T.V.Q. others add G.S.T. only. All merchandise sold F.O.B. shipping point + handling of \$15.00 minimum or 5% of purchase cost. Minimum order \$25.00. **NO C.O.D. SHIPMENT**

IMPORTANT

Each item on our parts list has been carefully selected and is guaranteed to be as represented. Our ability to fill your orders may be affected by conditions beyond our control. We do not assume any liability for delays in or failure to make delivery due to conditions beyond our control, including delays of carriers, accidents, strikes, etc. or any other unavoidable cause. We may be forced to partially fill your order and back-order the balance. In this event, please bear with us – we will always do our very best to supply you promptly. No substitutions will be made without written approval. No merchandise can be returned for credit without our authorization. Returns must be prepaid.



GAZEBO PENGUIN INC.

4660 Hickmore, St-Laurent
Quebec, Canada H4T 1K2

1-800-737-7174 / 514-276-3485

Fax : 1-514-276-4147

csr11@gazebopenguin.com

All sizes are approximate

ROUND ROOMS		91008- 10` dia	91109- 11` dia	91210- 12` dia	91311- 13` dia	91412- 14` dia
PART#	DESCRIPTION					
85-078	8 HOLE HUB	1	---	---	---	---
85-081	9 HOLE HUB	---	1	---	---	---
85-085	10 HOLE HUB	---	---	1	---	---
85-089	11 HOLE HUB	---	---	---	1	---
85-093	12 HOLE HUB	---	---	---	---	1
94-220	135° SIDE BRACKET	8	---	---	---	---
94-221	142° SIDE BRACKET	---	9	10	---	---
94-222	149° SIDE BRACKET	---	---	---	11	12
95-239	METAL TUBE TIP ½"	8	9	10	11	12
95-242	NUTS 1/2"	8	9	10	11	12
95-218	SCREW 1/4"x1-1/4"	16	18	20	22	24
95-226	NUTS 1/4"	16	18	20	22	24
85-003	HANDLES	1	1	1	1	1
85-008	HOLD DOWN BRACKET	14	16	18	20	22
99-107	POLE 59 5/8"	8	---	---	---	---
99-109	POLE 66 1/2"	---	9	---	---	---
99-111	POLE 74 1/4"	---	---	10	---	---
99-113	POLE 80 7/8"	---	---	---	11	---
99-115	POLE 87 3/8"	---	---	---	---	12
ROOF (COLOUR CHOICES)		87-106	87-108	87-110	87-112	87-114

Date : _____

Packed by : _____

Gazebopenguin Inc., St. Laurent, Québec H4T 1K2